

ACCESSORIES

WKP701 / Precision handling gloves

Knitted fabric in polyamide and elastane. 15 gauge. Micro-foam nitrile coating on the palm and fingertips. Elasticated cuff with elastic overlock finish in a colour to match the glove size. Washable at 40°C. Standards – EN ISO 21420: in progress / EN388: in progress.

 6-7-8-9-10-11-12  20 gsm  100



Red

NF EN 388-A1:2018



4 1 3 1 A



VEGAN

WKP702 / Heavy handling gloves

Knitted fabric in polyamide and elastane. 15 gauge. Micro-foam nitrile coating on the palm, fingertips and 3/4 back. Nitrile cuff on the palm and fingertips. Elasticated cuff with elastic overlock finish in a colour to match the glove size. Washable at 40°. Standards – EN ISO 21420: in progress / EN388: in progress.

 6-7-8-9-10-11-12  20 gsm  100



Grey

NF EN 388-A1:2018



4 1 3 1 A



VEGAN

WKP703 / Handling in wet environments gloves

Knitted fabric in polyamide and elastane. 18 gauge. 360° nitrile coating and sandy nitrile coating on the palm and fingertips. Elasticated cuff with elastic overlock finish in a colour to match the glove size. Washable at 40°. Standards – EN ISO 21420: in progress / EN388: in progress.

 6-7-8-9-10-11  40 gsm  100



Royal Blue

NF EN 388-A1:2018



4 1 2 1 A



VEGAN



COLOURS



CAT II



COLOURS



CAT II



COLOURS

CAT II



WKP709 / Cut protection gloves


Knitted fabric in MetalQ, polyamide and elastane. 18 gauge. Micro-foam nitrile coating on the palm and fingertips. Nitrile backing between the thumb and index finger. Elasticated cuff with elastic overlock finish in a colour to match the glove size. Washable at 40°. Standards – EN ISO 21420: in progress / EN388: in progress. Average weight L for unisex : 44 g

6-7-8-9-10-11-12 100



Black

NF EN 388-A1:2018



4 3 4 2 D

VEGAN

WKP710 / Cut and impact protection gloves

Knitted fabric in HPPE, steel fibre, polyester and elastane. 13 gauge. Sandy nitrile coating on the palm and fingertips. Sandy nitrile backing between the thumb and index finger. PVC backing on the back and fingertips. Elasticated cuff with elastic overlock finish in a colour to match the glove size. Washable at 40°. Standards – EN ISO 21420: in progress / EN388: in progress. Average weight L for unisex : 148 g

6-7-8-9-10-11-12 60



Blue

NF EN 388-A1:2018



4 3 4 3 F P

VEGAN

WKP706 / Handling in cold environments gloves

Knitted polyester fabric. 13 gauge. 360° latex coating and sandy latex coating on the palm and fingertips. Brushed acrylic inner lining. Elasticated cuff with elastic overlock finish in a colour to match the glove size. Washable at 60°. Standards – EN ISO 21420: in progress / EN388: in progress / EN511: in progress / EN407: in progress. Average weight L for unisex : 84 g

7-8-9-10-11-12 60



Aqua Blue

NF EN 388-A1:2018

NF EN 511:2006

NF EN 407:2020



2 2 3 2 B

X 2 X

X 2 X X X X

VEGAN



COLOURS



CAT II



COLOURS



CAT II



COLOURS



CAT II



ACCESSORIES

